WATER PUMP



Series Omega 7.5kW

WATER PUMP INVERTER



Features

- Built-in MPPT solar charger.
- It supports both single-phase and three-phase induction motors, depending on the model.
- · Built-in full protection and self-diagnosis.
- Soft start function prevents water hammer effect and extends system lifecycle.
- Comprehensive LEDs and display screen for real-time system status.
- · Remote monitoring through RS-485.
- · Optional remote panel available.

Technical Specifications

Rated Output Power	7500 W (10 HP) (supports 3 ~ 10 HP water pump)
PV INPUT (DC)	
Nominal DC Voltage/Max. DC Voltage	540 / 800 VDC
Start-Up Voltage	250 VDC
MPPT Voltage Range	250 ~ 780 VDC
Maximum PV Current	16 A
Number of MPP Trackers	1
AC INPUT	
Input Voltage	N/A
Input Frequency	N/A
OUTPUT	
Nominal Voltage	3 x 380 / 400 / 415 / 440 VAC
Efficiency	> 97%
Nominal Output Current	15 A
Motor Type	Three-phase asynchronous motor
Frequency Precision	± 0.2%
PROTECTION	
Full Protection	Phase lost, dry pumping, motor locked, weak sunlight, over-voltage, under-voltage, over-current, surge, over-temperature and short circuit protection.
PHYSICAL	
Dimension, D x W x H (mm)	110 x 230 x 342 mm
Net Weight (kg)	6 kg
IP Protection	IP20
INTERFACE	
Communication Port	RS-232 / RS-485
ENVIRONMENT	
Humidity	< 95% RH (Non-condensing)
Operating Temperature	-20°C ~ 45°C at 100% full load,
	46°C ~ 60°C power derating.

Product specifications are subject to change without further notice.



